

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# DRIVER

## NON-IONIC SURFACTANT



ACTIVE CONSTITUENT: 870 g/L ALCOHOL ALKOXYLATE AND FREE FATTY ACIDS

A Premium Non-Ionic Rainfast Wetting Agent with Low Foaming Qualities.

READ THE DIRECTIONS FOR USE BEFORE USING THIS PRODUCT

Wetter/Surfactant

General Purpose

Low Foaming.

Non-Ionic

5, 10, 20, 1000 LITRES



## DIRECTIONS FOR USE

Driver can be used where the addition of a Surfactant is required or recommended on the agricultural chemical label. Variation in conditions of use can require some changes in the amount of Driver required.

SITUATION	RATE PER 100L	CRITICAL COMMENTS
<b>BROADACRE</b>		
<b>Non-Selective Herbicides Foliar-Active</b>	70-125mL	Use higher rate on waxy, hairy or hard to wet surfaces.
Paraquat and Diquat herbicides. Important when grasses are the major target	60-120mL	Vary rate according to spray volume. Select rate in accordance with product labels
Pasture topping with Glyphosate CT.	150mL	
<b>Soil Active</b>	75-100mL	Use high rate for dry soils
<b>Selective Herbicides In Crop Use</b>	75-125mL	Use when a surfactant is recommended on herbicide labels. Use the higher rate on waxy, hairy or hard to wet surfaces.
<b>Diclofop-methyl Herbicides</b>	150mL	Use only when mixing diclofop-methyl herbicides with bromoxynil and MCPA, LVE MCPA, Tigrex and 600g/kg metsulfuron-methyl herbicides.
<b>HORTICULTURAL USAGE</b>		
<b>Insecticides</b> Carbaryl, Chlorpyrifos, Endosulfan, Dimethoate, Trichlorfon, Maldison, Cypermethrin and others.	Boom Spray: 50-125mL Misters: 30-100mL	Use the higher rate on hairy, waxy, dusty or hard to wet surfaces. Also increase the rate when spraying onto dry soils.
<b>Fungicides</b> Mancozeb and other fungicides. Do not use with chlorothalonil or other fungicides unless recommended on the fungicide label.	Boom Spray: 50-125mL Misters: 30-100mL	
<b>Herbicides - Foliar Active</b> Diquat/Paraquat, Glyphosate 360, Amitrole T, Dicamba 500 and MCPA herbicides.	70-125mL	
<b>Herbicides - soil active</b> Diuron, Atrazine, Simazine, 2,4-D sodium salt	75-100mL	

SITUATION	RATE PER 100L	CRITICAL COMMENTS
<b>HORTICULTURAL USAGE (contd)</b>		
<b>Sugar Cane Herbicides</b> Knockdown mixtures with Paraquat, Glyphosate, MCPA, 2,4-D herbicides	60-120mL	Increase the rate of Driver as the rate of water sprayed per hectare increases. For Example, if you apply 400 litres of water per hectare, 400 to 480 mL of Driver should be added to the spray solution. Spray only to the point where leaves are fully covered. Spraying beyond this allows runoff, which will increase costs by losing chemical onto the ground.
<b>Mixtures of knockdown and residual herbicides</b> such as Paraquat plus Atrazine 900 DF formulations or 2,4-D 625 Amine plus Diuron	70-125mL	Use the higher rate when spraying waxy, hairy, dusty, or hard to wet leaves. Also if the soil is dry, a higher rate of Driver should be used. Consult product labels for individual recommendations.
<b>WOODY WEED SPRAYING</b>		
<b>Spot Spraying</b>	100-125mL	When spot spraying with chemicals such as Dichlorprop, Dicamba, 2,4-D, Glyphosate CT, Glyphosate 360, metsulfuron-methyl herbicides and others. Driver should be added at these rates depending on growth conditions and likely rainfall conditions.
<b>Aerial Spraying</b>		Aerial spraying of woody weeds is often difficult by air due to the difficulty of reaching the target effectively. However, this is frequently the only practical option. Driver will improve penetration into the plant as well as prolonging the droplet life when used through aircraft. Water volumes of 30 to 50 litres per hectare should include at least 40 mL of Driver per 100 litres of water.
<b>OTHER USES</b>		
<b>Fire Fighting</b>	Water tanker: 10mL per 100 litres of water. Knapsack: 1mL per 10 litres	Driver improves the efficiency of water in fire fighting by increasing the wetting power and assisting in faster control.
<b>Dust Abatement and Turf watering</b>	50-125mL	Use the higher rate when watering turf.

**Note:** Where product labels recommend the addition of a non-ionic wetting agent at a specific percentage dilution, use the following guidelines. e.g.: 0.1% - 100mL per 100 litres of final spray volume, or 0.125% - 125mL per 100 litres of final spray volume.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### GENERAL INSTRUCTIONS:

**Driver** is a low foaming, non-ionic type spreader adjuvant, providing quick wetting, more uniform distribution. **Driver** increases retention of spray by reducing surface tension of the spray droplets.

**Driver** is a water soluble adjuvant that may also be used as an interfacing agent for wettable powders.

**Driver** assists the uptake of foliar absorbed products

### MIXING:

For wettable powders and water soluble products, add **Driver** in water before adding the agricultural chemical to the spray tank. For emulsifiable products, add **Driver** after a good emulsion is formed.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:

Harmful to fish, DO NOT contaminate ponds, waterways or ditches with the chemical or used containers,

### STORAGE AND DISPOSAL

**KEEP OUT OF REACH OF CHILDREN.** Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site.

If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill.

If not available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots. Empty containers and products should NOT be burnt.

### Refillable containers (1000L only).

Store in the closed, original container in a cool, well ventilated area away from children, animals, food, feedstuffs, seed and fertilizers. DO NOT store for prolonged periods in direct sunlight. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

### SAFETY DIRECTIONS

Avoid contact with eyes and skin. When using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow length PVC/rubber gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water.

### FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre Phone Australia 13 11 26. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

### MATERIAL SAFETY DATA SHEET

For further information refer to the Material Safety Data Sheet (MSDS), which can be obtained from your supplier.

### CONDITIONS OF SALE

Any provisions or rights under the Trade Practices Act 1974 or relevant state legislation which cannot be excluded by those statutes or by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies, expressed or implied under common law, statute or otherwise, in relation to the sale, supply, use or application of this product, are excluded.

SST Australia Pty Ltd and/or its affiliates shall not accept any liability whatsoever (including consequential loss), or howsoever arising (including negligence) for any damage, injury or death connected with the sale, supply, use or application of this product except for liability which cannot be excluded by statute.

APVMA Approval No.: 54639/48736

Batch Number:

DOM:

**IN A TRANSPORT EMERGENCY  
DIAL 000 POLICE OR FIRE BRIGADE**



SST Australia Pty Ltd  
ACN 052 845 833  
4/97 Bayfield Road East,  
Bayswater, VIC 3153  
Phone: (03) 9720 6306